Index to Volume 15

This index covers the issues of Medical Problems of Performing Artists for 2000, as follows: March (Number 1), pages 1–48; June (Number 2), pages 49–96; September (Number 3), pages 97–138; and December (Number 4), pages 139–180.

Subjects

Abstract(s), 45; 91; 129; 175
Accident(s), on stage, prevention of (editorial), 1
Actor(s), stage safety for (editorial), 1
Addiction, in popular musicians, 6
Alternative medicine, performing arts medicine's role (editorial), 97
Annual meeting, photographs from 2000, 134
Anxiety, performance, *see* Performance anxiety
Anxiety disorder(s), in popular musicians, 6
Arm pain, and joint laxity in musicians, 72

Bagpiper(s), physiological assessment of, 51
Ballet dancer(s), knee rotation in grand plié, 140
Biofeedback, electromyographic, in music research, 115
Biomechanical analysis, of piano-related injury, 55
Biopsychosocial model(s), in musical performance anxiety, 65
Body image, in health psychology course, 148
Book review(s), 47; 93
Brain(s), music processing of, 99
Breathing, circular, in jazz saxophonists (letter), 133

Camptodactyly, in young violinist (case report), 75
Cardiopulmonary function, of bagpipers, 51
Carpal tunnel syndrome, oriented polymer drumsticks to reduce risk, 39
  in young adult violinists, 123
Case report, on camptodactyly, 75
Catalonia, risk factors in musicians, 167
Cellist(s), finger lengths and spreadability, 23
Circular breathing, in jazz saxophonists (letter), 133
Clarinet, return to playing after medical leave, 79
Cognitive flexibility, musical performance anxiety and, 161
College jazz band(s), sound exposure levels in, 17
College music student(s), satisfaction with treatments received, 86
Competence, in performing arts medicine (editorial), 139
Congenital condition(s), camptodactyly in young violinst (case report), 75
Cost(s), with on-site physiotherapy during performance, 107
Course, health psychology, for students, 148
Cumulative trauma disorder, in instrumentalists, 81

Dance student(s), health psychology course for, 148
Dancer(s), ballet, knee rotation in grand plié, 140
Death(s), causes of, in jazz musicians, 119
"Defining the Performing Artist," health psychology course, 148
Depression, in popular musicians, 6
Disability(ies), artists with (editorial), 49
  return to playing clarinet after medical leave, 79
Donison-Steinbuhler Standard, smaller piano keyboard, 111
Drumstick(s), oriented polymer, for pain relief, 39

Eating disorder(s), in health psychology course, 148
Electromyography, in music research, 115
Electrophysiologic status, of young adult violinists, 123
EMG, in music research, 115
Ergonomics, smaller piano keyboard for small hands, 111
  of stage safety (editorial), 1
External longitudinal rotation, during grand plié, 140

Field independence, musical performance anxiety and, 161
Finger deformity(ies), camptodactyly (case report), 75
Finger length(s), in cellists/guitarists, 23
Flexibility, finger, in cellists/guitarists, 23
Freymuth, M., *Mental Practice and Imagery for Musicians* (book review), 93

Grand plié(s), knee rotation during, 140
Great Highland bagpipe(s), cardiopulmonary function of players, 51
Guitarist(s), finger lengths and spreadability, 23

Hagegård, Håkan, interview with, 3
Hand(s), camptodactyly in young violinist (case report), 75
  finger spans in cellists/guitarists, 23
  of musicians, surgical perspective, 31
  size of, and standard piano keyboard, 111
Handicap(s), artists with (editorial), 49
Health problem(s), risk factors in musicians in Spain, 167
Health professional(s), music students' satisfaction with, 86
Health psychology course, for dance and theatre students, 148
Hearing loss, in college jazz band, 17
  by instrument, classical vs nonclassical, 35
High-risk model of threat perception, and performance anxiety, 65
Hyperextensibility syndrome, and arm pain, 72

Injury(ies), in college music students, 86
  piano, biomechanical analysis of, 55
  in piano students in Ireland, 155
Instrumentalist(s), musculoskeletal disorders in, 81

Index to Volume 15

This index covers the issues of Medical Problems of Performing Artists for 2000, as follows: March (Number 1), pages 1–48; June (Number 2), pages 49–96; September (Number 3), pages 97–138; and December (Number 4), pages 139–180.

Subjects

Abstract(s), 45; 91; 129; 175
Accident(s), on stage, prevention of (editorial), 1
Actor(s), stage safety for (editorial), 1
Addiction, in popular musicians, 6
Alternative medicine, performing arts medicine's role (editorial), 97
Annual meeting, photographs from 2000, 134
Anxiety, performance, *see* Performance anxiety
Anxiety disorder(s), in popular musicians, 6
Arm pain, and joint laxity in musicians, 72

Bagpiper(s), physiological assessment of, 51
Ballet dancer(s), knee rotation in grand plié, 140
Biofeedback, electromyographic, in music research, 115
Biomechanical analysis, of piano-related injury, 55
Biopsychosocial model(s), in musical performance anxiety, 65
Body image, in health psychology course, 148
Book review(s), 47; 93
Brain(s), music processing of, 99
Breathing, circular, in jazz saxophonists (letter), 133

Camptodactyly, in young violinist (case report), 75
Cardiopulmonary function, of bagpipers, 51
Carpal tunnel syndrome, oriented polymer drumsticks to reduce risk, 39
  in young adult violinists, 123
Case report, on camptodactyly, 75
Catalonia, risk factors in musicians, 167
Cellist(s), finger lengths and spreadability, 23
Circular breathing, in jazz saxophonists (letter), 133
Clarinet, return to playing after medical leave, 79
Cognitive flexibility, musical performance anxiety and, 161
College jazz band(s), sound exposure levels in, 17
College music student(s), satisfaction with treatments received, 86
Competence, in performing arts medicine (editorial), 139
Congenital condition(s), camptodactyly in young violinst (case report), 75
Cost(s), with on-site physiotherapy during performance, 107
Course, health psychology, for students, 148
Cumulative trauma disorder, in instrumentalists, 81

Dance student(s), health psychology course for, 148
Dancer(s), ballet, knee rotation in grand plié, 140
Death(s), causes of, in jazz musicians, 119
"Defining the Performing Artist," health psychology course, 148
Depression, in popular musicians, 6
Disability(ies), artists with (editorial), 49
  return to playing clarinet after medical leave, 79
Donison-Steinbuhler Standard, smaller piano keyboard, 111
Drumstick(s), oriented polymer, for pain relief, 39

Eating disorder(s), in health psychology course, 148
Electromyography, in music research, 115
Electrophysiologic status, of young adult violinists, 123
EMG, in music research, 115
Ergonomics, smaller piano keyboard for small hands, 111
  of stage safety (editorial), 1
External longitudinal rotation, during grand plié, 140

Field independence, musical performance anxiety and, 161
Finger deformity(ies), camptodactyly (case report), 75
Finger length(s), in cellists/guitarists, 23
Flexibility, finger, in cellists/guitarists, 23
Freymuth, M., *Mental Practice and Imagery for Musicians* (book review), 93

Grand plié(s), knee rotation during, 140
Great Highland bagpipe(s), cardiopulmonary function of players, 51
Guitarist(s), finger lengths and spreadability, 23

Hagegård, Håkan, interview with, 3
Hand(s), camptodactyly in young violinist (case report), 75
  finger spans in cellists/guitarists, 23
  of musicians, surgical perspective, 31
  size of, and standard piano keyboard, 111
Handicap(s), artists with (editorial), 49
Health problem(s), risk factors in musicians in Spain, 167
Health professional(s), music students' satisfaction with, 86
Health psychology course, for dance and theatre students, 148
Hearing loss, in college jazz band, 17
  by instrument, classical vs nonclassical, 35
High-risk model of threat perception, and performance anxiety, 65
Hyperextensibility syndrome, and arm pain, 72

Injury(ies), in college music students, 86
  piano, biomechanical analysis of, 55
  in piano students in Ireland, 155
Instrumentalist(s), musculoskeletal disorders in, 81

Instrument-specific hearing loss, 35
Intermission
Hearing Loss, 154
A Hurt So Deep, 71
The Observer, 122
Internet, web sites in arts medicine, 131
Interview, with Håkan Hagegård, 3
Ireland, injuries in piano students, 155

Jazz band(s), college, sound exposure levels, 17
Jazz musician(s), longevity and causes of death in, 119
Jazz saxophonist(s), life spans of (letter), 133
Joint flexibility, finger, in cellists/guitarists, 23
Joint laxity, and arm pain in musicians, 72
Jump(s), knee rotation in grand plié, 140

Keyboard(s), *see also* Piano(s)
standard piano, and hand size, 111
Knee rotation, during grand plié, 140

Learning, music, brain's processing of, 99
Life span(s), *see* Longevity
Literature abstract(s), 45; 91; 129; 175
Longevity, of jazz musicians, 119
of jazz saxophonists (letter), 133

Median nerve conduction studies, in young adult violinist(s), 123
Medical leave, return to playing clarinet, 79
Model(s), on-site physiotherapy during performance, 107
of threat perception, and performance anxiety, 65
Mortality(s), patterns in jazz musicians, 119; (letter), 133
Motion(s), harmful, in piano techniques, 55
"Mozart in us," brain's processing of music, 99
Musculoskeletal disorder(s), in musicians, 81
on-site physiotherapy during orchestra performance, 107
oriented polymer drumstick to alleviate, 39
Musculoskeletal pain, and hyperextensibility syndrome, 72
Music, brain's processing of, 99
Music research, electromyography/biofeedback in, 115
Music student(s), satisfaction with treatments received, 86
Musical performance anxiety, and cognitive flexibility, 161
and high-risk model of threat perception, 65
Musician(s), hand surgery in, 31
hearing loss, instrument-specific, 35
jazz, longevity and causes of death in, 119
joint laxity and arm pain in, 72
musculoskeletal disorders in, 81
popular, psychological issues in, 6
risk factors in, in Spain, 167

National Institute for Occupational Safety and Health, recommended sound exposure limits (erratum), 44
Nerve compression syndrome(s), in musicians' hands, 31
Nerve conduction study(ies), in young adult violinists, 123
Neuronal network(s), in music processing, 99
NIOSH, recommended sound exposure limits (erratum), 44
Noise exposure, *see* Sound exposure level(s)

Occupational exposure(s), instrument-specific hearing loss, 35
OSHA and NIOSH recommended limits (erratum), 44
sound, in college jazz band, 17
Occupational injury(ies), in college music students, 86
on-site physiotherapy during orchestra performance, 107
oriented polymer drumsticks to alleviate, 39
in piano students in Ireland, 155
risk factors in musicians in Spain, 167
risk of musculoskeletal disorders in musicians, 81
Occupational Safety and Health Administration, action levels (erratum), 44
sound exposure risk criteria, 17
Occupational therapy, for college music students, 86
On-site physiotherapy, during orchestra performance, 107
Orchestra(s), on-site physiotherapy during performance, 107
return to, after medical leave, 79
Oriented polymer drumstick(s), 39
OSHA, action levels (erratum), 44
sound exposure risk criteria, 17

Pain, arm, and joint laxity, 72
in returning to play clarinet after medical leave, 79
PAMA, photographs from annual meeting, 134
PAMA Notes, 48; 94; 177
Percussionist(s), oriented polymer drumsticks for, 39
Performance anxiety, and cognitive flexibility, 161
and high-risk model of threat perception, 65
Performing artist(s), with disabilities (editorial), 49
Performing arts medicine, quality control in (editorial), 139
role in alternative medicine (editorial), 98
web sites in, 131
Performing Arts Medicine Association, *see* PAMA
Performing arts student(s), health psychology course for, 148
Photograph(s), from 2000 annual meeting, 134
Physiotherapy, on-site, during orchestra performance, 107
Pianist(s), injuries of, in music schools in Ireland, 155
Piano(s), standard keyboard and hand size, 111
Piano technique(s), biomechanical analysis of, 55
Piper(s), *see* Bagpiper(s)
Playing-related injury(ies), *see* Occupational injury(ies)
Plié(s), grand, knee rotation during, 140
Poem(s), 71; 122; 154
Polymer drumstick(s), 39
Popular musician(s), psychological issues in, 6
Population study, of musculoskeletal disorders in musicians, 81
Predisposing factor(s), *see* Risk factor(s)
Prevention, in health psychology course, 148
Psychological issue(s), in popular musicians, 6
Psychology, performance anxiety and cognitive flexibility, 161
performance anxiety and high-risk model of threat perception, 65
Psychology course, for dance and theatre students, 148
Pulmonary function, of bagpipers, 51

Quality control, in performing arts medicine (editorial), 139

Rehabilitation, on-site, during orchestra performance, 107
Research, music, electromyography/biofeedback in, 115
Return to playing, after protracted medical leave, 79
Risk(s), sound exposure, in college jazz band, 17
Risk factor(s), for injury in piano students in Ireland, 155
for musculoskeletal disorders, 81
for musicians' health problems in Spain, 167
Risk reduction, with oriented polymer drumsticks, 39
Rock musician(s), psychological issues in, 6
Rotation, knee, during grand plié, 140

Safety, of stages (editorial), 1
Satisfaction, music student, with treatments received, 86
Saxophonist(s), jazz, life spans of (letter), 133
Singer(s), interview with Håkan Hagegård, 3
Size(s), of hands, and standard piano keyboard, 111
Somatization, in musical performance anxiety, 65
Sound exposure level(s), in college jazz band, 17
OSHA and NIOSH limits (erratum), 44
Spain, risk factors in musicians, 167
Spreadability, of fingers, in cellists/guitarists, 23
Stage(s), safety of performers (editorial), 1
Stage fright, *see* Performance anxiety
State anxiety, and high-risk model of threat perception, 65
Stress, *see* Anxiety; Performance anxiety
Student(s), health psychology course for, 148
music, satisfaction with treatments received, 86
piano, injuries among, in Ireland, 155
Substance use/dependence, in popular musicians, 6
Surgery(ies), on musicians' hands, 31
Symphony orchestra(s), *see* Orchestra(s)

Theater(s), stage safety in (editorial), 1
Theater student(s), health psychology course for, 148
Threat perception, high-risk model of, 65
Training, health psychology course in, 148
Training program(s), quality control in (editorial), 139

Ulnar nerve conduction studies, in young adult violinists, 123
Unconventional medicine, performing arts medicine's role (editorial), 97
Upper extremity(ies), *see also* Arm(s); Finger(s); Hand(s)
Upper-extremity disorder(s), musculoskeletal, in musicians, 81

Vibration, with oriented polymer drumsticks, 39
Violinist(s), young, camptodactyly in (case report), 75
young, nerve conduction studies in, 123

Wagner's Ring Cycle, on-site physiotherapy during performance, 107
Web sites, in performing arts medicine, 131
Wrigley, B., *Peak Music Practice Handbook* (book review), 47

Young violinist(s), camptodactyly in (case report), 75
nerve conduction studies in, 123

Authors

Altenmüller, E. O., 99
Arjmand, S., 93; 177

Bangert, M. W., 99
Barnes, M. A., 140
Barr, D., 51
Bowie, E. A., 123
Brandfonbrener, A. G., 1; 3; 49; 72; 75; 97; 139; 177
Brimer, K. M., 123

Cherniack, M., 81
Chesky, K., 17; 35
Coggshall, G. E., 71

Darr, N. S., 123
Davis, J. V., 154
Dawson, W. J., 45; 91; 129; 175
Dockrell, S., 155
Donison, C., 111

Ess, S., 51

Fleiszer, M. S., 39
Freymuth, M., 47

Greathouse, D. G., 123
Gruhn, W., 99
Guptill, C., 86

Halle, J. S., 123
Harman, S. E., 131
Henoch, M. A., 17; 35
Herbert, M. G., 148
Herer, B., 119; 133

Kidder, M. S., 123
Kjelland, J. M., 115
Kloeppel, R., 23
Krasnow, D., 140

Lapidus, L. B., 161
Liebert, G., 99

Maine, F. W., 39
McCain, C., 65
Mechefske, C., 39
Melchor, G. P., 75
Milanese, S., 107
Morse, T., 81

Paul, S., 86
Pelletier, S. R., 81
Plezbert, J., 51
Popalisky, D. J., 148

Raeburn, S. D., 6
Rife, N. A., 161
Ro, J., 81
Roset-Llobet, J., 167
Rosinés-Cubells, D., 167

Saló-Orfila, J. M., 167
Schafle, M., 48; 94
Shields, N., 155
Shnek, Z. M., 161

Thomas, M., 140
Tupling, S. J., 140

Van Dusen, L., 51

Wallis, M. L., 123
Ward, T., 79
Williams, L. B., 122
Winspur, I., 31
Wristen, B. G., 55
Wynn Parry, C. B., 31

Zaza, C., 39; 86
Zinn, M., 65
Zinn, M., 65